SulfRock boards: selecting an application

Magnesium sulphate board use must follow the relevant system evidence.

Build Supply | SulfRock | Intelligent Panel Systems | HomePod

1 Internal linings

Confirm the board, supports, fixings and finish for the proposed wall or ceiling.

2 External assemblies

Check whether the specified board and finish system are approved for the exposure and detailing.

3 Wet areas

Water resistance is not waterproofing. Specify an appropriate wet-area system where required.

4 Floors and roofs

Confirm structural suitability, span, loads and support. Do not assume any board can replace a structural deck.

5 Fire performance

Check the exact SulfRock board report and its classification scope. A board reaction-to-fire rating does not establish a wall, floor or IPS panel fire-resistance period.

6 IPS and HomePod

For panels incorporating Plixxent PU foam insulation, assess the complete panel and building details, including joints and openings.

Before specifying: obtain the current board report, application detail and system evidence.

REFERENCE GUIDANCE

GOV.UK: Approved Documents (England)
GOV.UK: Approved Document A

Use current product instructions and the approved project design. For regulations, confirm the UK nation, applicable edition and transitional arrangements.

Help us keep our information accurate.

If you notice an error, outdated information or something that needs clarification in this document, please let us know.
Report an Issue: Visit our website and select Report a Website or Document Issue.
sulfrock.uk